








# Calculation policy: Addition

Key language: double, times, multiplied by, the product of, groups of, lots of, equal groups.


<i>Concrete</i>	<i>Pictorial</i>	<i>Abstract</i>
<p><b>Combining two parts to make a whole</b> (use other resources too e.g. eggs, shells, teddy bears, cars).</p> 	<p>Children to represent the cubes using dots or crosses. They could put each part on a part whole model too.</p> 	<p><math>4 + 3 = 7</math> Four is a part, 3 is a part and the whole is seven.</p> 
<p><b>Counting on using number lines</b> using cubes or Numicon.</p> 	<p>A bar model which encourages the children to count on, rather than count all.</p> 	<p>The abstract number line: What is 2 more than 4? What is the sum of 2 and 4? What is the total of 4 and 2? <math>4 + 2</math></p> 

**Regrouping to make 10;** using ten frames and counters/cubes or using Numicon.

6 + 5



Children to draw the ten frame and counters/cubes.



Children to develop an understanding of equality e.g.


$6 + \square = 11$

$6 + 5 = 5 + \square$


$6 + 5 = \square + 4$

**TO + O using base 10.** Continue to develop understanding of partitioning and place value.

41 + 8




Children to represent the base 10 e.g. lines for tens and dot/crosses for ones.



41 + 8


$1 + 8 = 9$   
 $40 + 9 = 49$



	4	1
+		8
<hr/>		
	4	9

**TO + TO using base 10.** Continue to develop understanding of partitioning and place value.

36 + 25




Children to represent the base 10 in a place value chart.

Looking for ways to make 10.

$36 + 25 =$

$30 + 20 = 50$   
 $5 + 5 = 10$   
 $50 + 10 + 1 = 61$




36


Formal method:

	+25
	36
<hr/>	
	61
	1

Use of place value counters to add HTO + TO, HTO + HTO etc. When there are 10 ones in the 1s column- we exchange for 1 ten, when there are 10 tens in the 10s column- we exchange for 1 hundred.




Children to represent the counters in a place value chart, circling when they make an exchange.



$$\begin{array}{r} 243 \\ +368 \\ \hline 611 \\ \hline 11 \end{array}$$

### Conceptual variation; different ways to ask children to solve $21 + 34$



?	
21	34

Word problems:  
In year 3, there are 21 children and in year 4, there are 34 children.  
How many children in total?


$21 + 34 = 55$ . Prove it

$$\begin{array}{r} 21 \\ +34 \\ \hline \end{array}$$

$21 + 34 =$

$\square = 21 + 34$

Calculate the sum of twenty-one and thirty-four.












Missing digit problems:

10s	1s
10 10	1
10 10 10	?
?	5


# Calculation Policy: Subtraction

Key language: take away, less than, the difference, subtract, minus, fewer, decrease.


Concrete	Pictorial	Abstract
<p><b>Physically taking away and removing objects from a whole</b> (ten frames, Numicon, cubes and other items such as beanbags could be used).</p> <p><math>4 - 3 = 1</math></p> 	<p>Children to draw the concrete resources they are using and cross out the correct amount. The bar model can also be used.</p> 	<p><math>4 - 3 =</math></p> <p> <math>= 4 - 3</math></p>  
<p><b>Counting back</b> (using number lines or number tracks) children start with 6 and count back 2.</p> <p><math>6 - 2 = 4</math></p> 	<p>Children to represent what they see pictorially e.g.</p> 	<p>Children to represent the calculation on a number line or number track and show their jumps. Encourage children to use an empty number line</p>  

**Finding the difference** (using cubes, Numicon or Cuisenaire rods, other objects can also be used).

Calculate the difference between 8 and 5.



Children to draw the cubes/other concrete objects which they have used or use the bar model to illustrate what they need to calculate.




Find the difference between 8 and 5.

$8 - 5$ , the difference is


Children to explore why  $9 - 6 = 8 - 5 = 7 - 4$  have the same difference.

**Making 10** using ten frames.

$14 - 5$



Children to present the ten frame pictorially and discuss what they did to make 10.



Children to show how they can make 10 by partitioning the subtrahend.

$$14 - 5 = 9$$


$$\begin{array}{c} 4 \quad 1 \end{array}$$

$$14 - 4 = 10$$


$$10 - 1 = 9$$

**Column method** using base 10.

$48 - 7$




Children to represent the base 10 pictorially.




Column method or children could count back 7.

	4	8
-		7
	4	1

**Column method** using base 10 and having to exchange.  
41 – 26



Represent the base 10 pictorially, remembering to show the exchange.




Formal column method. Children must understand that when they have exchanged the 10 they still have 41 because  $41 = 30 + 11$ .

$$\begin{array}{r} \cancel{3} \cancel{4} 1 \\ - 26 \\ \hline 15 \end{array}$$

**Column method** using place value counters.  
234 – 88


Represent the place value counters pictorially; remembering to show what has been exchanged.



Formal column method. Children must understand what has happened when they have crossed out digits.

$$\begin{array}{r} \overset{2}{\cancel{2}} \overset{1}{\cancel{3}} 4 \\ - 88 \\ \hline 6 \end{array}$$

### Conceptual variation; different ways to ask children to solve 391 - 186



391	
186	?

Raj spent £391, Timmy spent £186.  
How much more did Raj spend?

Calculate the difference between 391 and 186.

$$\boxed{\quad} = 391 - 186$$

$$\begin{array}{r} 391 \\ -186 \\ \hline \end{array}$$






What is 186 less than 391?

Missing digit calculations


$$\begin{array}{r} 39\boxed{\phantom{0}} \\ - \boxed{\phantom{0}}\boxed{\phantom{0}}6 \\ \hline \boxed{\phantom{0}}05 \end{array}$$

# Calculation policy: Multiplication

Key language: double, times, multiplied by, the product of, groups of, lots of, equal groups.


Concrete	Pictorial	Abstract
<p><b>Repeated grouping/repeated addition</b>  <math>3 \times 4</math>  <math>4 + 4 + 4</math>                      There are 3 equal groups, with 4 in each group.</p> 	<p>Children to represent the practical resources in a picture and use a bar model.</p> 	<p><math>3 \times 4 = 12</math>  <math>4 + 4 + 4 = 12</math></p>
<p><b>Number lines to show repeated groups-</b>  <math>3 \times 4</math></p>  <p>Cuisenaire rods can be used too.</p>	<p>Represent this pictorially alongside a number line e.g.:</p> 	<p>Abstract number line showing three jumps of four.</p> <p><math>3 \times 4 = 12</math></p> 

**Use arrays to illustrate commutativity** counters and other objects can also be used.  
 $2 \times 5 = 5 \times 2$



2 lots of 5      5 lots of 2

Children to represent the arrays pictorially.



Children to be able to use an array to write a range of calculations e.g.


$$10 = 2 \times 5$$

$$5 \times 2 = 10$$


$$2 + 2 + 2 + 2 + 2 = 10$$

$$10 = 5 + 5$$

**Partition to multiply** using Numicon, base 10 or Cuisenaire rods.  
 $4 \times 15$



Children to represent the concrete manipulatives pictorially.



Children to be encouraged to show the steps they have taken.

$$4 \times 15$$


$$\begin{array}{r} 10 \\ 5 \end{array}$$

$$10 \times 4 = 40$$


$$5 \times 4 = 20$$

$$40 + 20 = 60$$


A number line can also be used



**Formal column method** with place value counters (base 10 can also be used.)  $3 \times 23$



Children to represent the counters pictorially.



Children to record what it is they are doing to show understanding.

$$3 \times 23 \quad 3 \times 20 = 60$$

$$\quad \quad \quad 3 \times 3 = 9$$






$$20 \quad 3 \quad 60 + 9 = 69$$

$$\begin{array}{r} 23 \\ \times 3 \\ \hline 69 \end{array}$$



# Calculation policy: Division


Key language: share, group, divide, divided by, half.

<i>Concrete</i>	<i>Pictorial</i>	<i>Abstract</i>		
<p><b>Sharing</b> using a range of objects. <math>6 \div 2</math></p>  <p>The diagram shows two green ovals, each containing three yellow diamonds. Below them is a row of six red cubes. Two arrows point from the first and fourth cubes to two separate vertical stacks of three cubes each, illustrating the sharing process.</p>	<p>Represent the sharing pictorially.</p>  <p>The diagram shows two hand-drawn circles, each containing three dots. Below them is a hand-drawn rectangle divided into two equal halves, each containing three dots. A bracket under the first half is labeled with a question mark, indicating the unknown number of groups.</p>	<p><math>6 \div 2 = 3</math></p> <table border="1" data-bbox="1554 478 2004 547"><tr><td>3</td><td>3</td></tr></table> <p>Children should also be encouraged to use their 2 times tables facts.</p>	3	3
3	3			
<p><b>Repeated subtraction</b> using Cuisenaire rods above a ruler. <math>6 \div 2</math></p>  <p>The diagram shows a ruler from 0 to 10. Three blue Cuisenaire rods of length 2 are placed above the ruler, starting at 0 and ending at 2, 4, and 6. Each rod is labeled with '-2' above it. Below the ruler, the text '3 groups of 2' is written.</p>	<p>Children to represent repeated subtraction pictorially.</p>  <p>The diagram shows a hand-drawn number line from 0 to 6. Three arcs are drawn above the line, each labeled '-2'. The arcs start at 0, 2, and 4, and end at 2, 4, and 6. Below the line, the numbers 0, 2, 4, and 6 are written, and the text '3 groups' is written below the line.</p>	<p>Abstract number line to represent the equal groups that have been subtracted.</p>  <p>The diagram shows a hand-drawn number line from 0 to 6. Three arcs are drawn above the line, each labeled '-2'. The arcs start at 0, 2, and 4, and end at 2, 4, and 6. Below the line, the numbers 0, 1, 2, 3, 4, 5, and 6 are written, and the text '3 groups' is written below the line.</p>		

**2d ÷ 1d with remainders** using lollipop sticks. Cuisenaire rods, above a ruler can also be used.


$13 \div 4$

Use of lollipop sticks to form wholes- squares are made because we are dividing by 4.



There are 3 whole squares, with 1 left over.

Children to represent the lollipop sticks pictorially.




There are 3 whole squares, with 1 left over.

$13 \div 4 = 3 \text{ remainder } 1$


Children should be encouraged to use their times table facts; they could also represent repeated addition on a number line.

'3 groups of 4, with 1 left over'




**Sharing using place value counters.**

$42 \div 3 = 14$



Children to represent the place value counters pictorially.






Children to be able to make sense of the place value counters and write calculations to show the process.

$42 \div 3$   
 $42 = 30 + 12$   
 $30 \div 3 = 10$   
 $12 \div 3 = 4$   
 $10 + 4 = 14$


**Short division** using place value counters to group.

$$615 \div 5$$

100s	10s	1s
		
1	2	3

1. Make 615 with place value counters.
2. How many groups of 5 hundreds can you make with 6 hundred counters?
3. Exchange 1 hundred for 10 tens.
4. How many groups of 5 tens can you make with 11 ten counters?
5. Exchange 1 ten for 10 ones.
6. How many groups of 5 ones can you make with 15 ones?

Represent the place value counters pictorially.



Children to the calculation using the short division scaffold.




$$\begin{array}{r}
 123 \\
 5 \overline{) 615} \\
 \underline{5} \phantom{0} \\
 11 \phantom{0} \\
 \underline{10} \phantom{0} \\
 15 \\
 \underline{15} \\
 0
 \end{array}$$

**Long division** using place value counters

$$2544 \div 12$$


1000s	100s	10s	1s
			

We can't group 2 thousands into groups of 12 so will exchange them.

1000s	100s	10s	1s
			


We can group 24 hundreds into groups of 12 which leaves with 1 hundred.

$$\begin{array}{r}
 02 \\
 12 \overline{) 2544} \\
 \underline{24} \phantom{0} \\
 1 \phantom{0}
 \end{array}$$



After exchanging the hundred, we have 14 tens. We can group 12 tens into a group of 12, which leaves 2 tens.

$$\begin{array}{r} 021 \\ 12 \overline{) 2544} \\ \underline{24} \\ 14 \\ \underline{12} \\ 2 \end{array}$$




After exchanging the 2 tens, we have 24 ones. We can group 24 ones into 2 group of 12, which leaves no remainder.

$$\begin{array}{r} 0212 \\ 12 \overline{) 2544} \\ \underline{24} \\ 14 \\ \underline{12} \\ 24 \\ \underline{24} \\ 0 \end{array}$$

### Conceptual variation; different ways to ask children to solve $615 \div 5$

Using the part whole model below, how can you divide 615 by 5 without using short division?



I have £615 and share it equally between 5 bank accounts. How much will be in each account?

615 pupils need to be put into 5 groups. How many will be in each group?

$$5 \overline{) 615}$$

$$615 \div 5 =$$

$$\square = 615 \div 5$$

What is the calculation?  
What is the answer?

